

United States Patent and Trademark Office

- Kill

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/729,512	12/05/2003	Keihiro Kurakata	B984-071 2386	
26272 7590 01/10/2008 COWAN LIEBOWITZ & LATMAN P.C. JOHN J TORRENTE			EXAMINER	
			HSU, AMY R	
1133 AVE OF THE AMERICAS NEW YORK, NY 10036			ART UNIT	PAPER NUMBER
			2622	
				
			MAIL DATE	DELIVERY MODE
			01/10/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

· · · · · · · · · · · · · · · · · · ·	Application No.	Applicant(s)			
	10/729,512	KURAKATA, KEIHIRO			
Office Action Summary	Examiner	Art Unit			
	Amy Hsu	2622			
The MAILING DATE of this communication app Period for Reply	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply				
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
Status					
 Responsive to communication(s) filed on 19 October 2007. This action is FINAL. 2b) This action is non-final. Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. 					
Disposition of Claims					
4) Claim(s) 1-19,21 and 22 is/are pending in the a 4a) Of the above claim(s) is/are withdraw 5) Claim(s) is/are allowed. 6) Claim(s) 1-19,21-22 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or	vn from consideration.				
Application Papers					
 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. 					
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 12/27/07.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa	te			

10/729,512 Art Unit: 2622

Response to Arguments

Applicant's arguments filed 10/19/2007 have been fully considered but they are 1. not persuasive. The applicant has amended independent Claim 1 to include another limitation to the control device which causes the display device to display the image data received by the communication device from various other image pickup apparatuses in addition to image data from the recording device, with the unique apparatus information and specific information for specifying the image data. Suga still anticipates what is currently claimed by the applicant. In Fig. 1 Suga teaches the image pickup apparatus of Claim 1, which encompasses "Station A". Station A receives and displays image data from a plurality of image pickup apparatuses, specifically Station B and Station C, in addition to displaying image data from its own recording device, Camera A-2 or Camera A-1. The control device within the Station A displays unique apparatus information along with the image data received, for example Station A's display shows "B" or "C" to indicate which "station" or image pickup apparatus the image data came from. Additionally, specific information for specifying the image data is also included, for example Station A's display shows "B-1" or "B-2", where the "1" or "2" is specific, or particular information for the purpose of specifying image data. As seen in Fig. 1. Camera B-1 is for capturing the user's face while camera B-2 is for capturing the image of the alphabet. Therefore the display of specific information "1" or "2" along with the unique apparatus identifying information "B" or "C", will specify or exactly correspond to the image data because cameras with "1" specifies the image is of users' faces and cameras with "2" specifies the image is of objects placed below the

10/729,512 Art Unit: 2622

camera such as cake or coffee as illustrated in Fig. 1.

Applicant further amends Claim 1 to include the limitation of the control device to provide control to display the image data received from other image pickup apparatuses and the image data from the recording device to be displayed in different configuration. As seen in Fig. 1, the image pickup apparatus, Station A, places image data from its own recording device on the left side of the screen, and places image data received from other devices towards the center and right of the screen. The side of the screen, or the configuration of placement for image data from its own recording device and from other devices is therefore different such that it is easily distinguishable from each other. It is easy to distinguish left configuration for images from itself from center/right configuration for images from other devices.

The same argument is applied to Claims 11, 21, and 22.

Claim Rejections - 35 USC § 1022.

- 2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:
 - A person shall be entitled to a patent unless -
 - (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States
- 3. Claims 1, 3, 11, and 13 are rejected under 35 U.S.C. 102(b) as being anticipated by Suga et al (US 6,313,875).

Regarding Claims 1 and 11, Suga teaches an image pickup apparatus (*Fig. 1 Station A*) and method of controlling the same, comprising: an image pickup device (*Fig.*

10/729,512 Art Unit: 2622

2 reference number 105); a recording device that records image data photographed by said image pickup device (Fig. 2 reference number 108 and Col 4 Lines 61-62); a display device that displays the image data recorded by said recording device (Fig. 2) reference number 126 and Col 5 Lines 35-36); a communication device that is

connectable to a plurality of image pickup apparatuses (Fig. 2 reference numbers 116 and 125), for transmitting and receiving the recorded image data (Col 5 Lines 16-21 and Col 5 Lines 59-62); an allotting device that allots unique apparatus information for identifying the image pickup apparatus to the photographed image data (Fig. 2 reference number 122, the system control circuit acts as an allotting device to allot unique identifying information to image data as seen in Fig. 5 and Col 7 Lines 15-18); and a control device (Fig. 2 reference number 122) that provides control to cause said display device to display the image data received by said communication device from respective ones of the plurality of image pickup apparatuses and the image data recorded by said recording device, with the unique apparatus information and specific information for specifying the image data (Fig. 1 shows the display of the image pickup apparatus with specific information "1" or "2" after the apparatus identification "A-C", where the "1" or "2" specifies the image data by corresponding to either a users face for cameras with "1" or an object next to the user as specified by cameras with "2"), wherein said control device provides control to cause said display device to display the image data received by said communication device from respective ones of the plurality of image pickup apparatus and the image data recorded by said recording device in different display configuration, respectively (Fig. 1 shows Station A's display showing

10/729,512 Art Unit: 2622

images from Station A, or its own recording device to be on the left side configuration as opposed to image data received from other devices on the center and right side configurations), in a manner such that the image data received by said communication device from respective ones of the plurality of image pickup apparatuses and the image data recorded by said recording device can be distinguished from one another (Images on the left are easily distinguishable from images in the center/right configurations).

Regarding Claims 3 and 13, Suga teaches an image pickup apparatus according to claim 1 and method of controlling the same, wherein said control device provides control to cause said display device to display the image data received by said communication device from respective ones of the plurality of image pickup apparatuses and the image data recorded by said recording device, with icons different from each other added thereto (Fig. 5 shows icons on the title bar of each image, different from each other for each image which corresponds to the name identifying the camera the image came from. Specifically, the alphanumeric symbols such as A-1 are icons, or symbols).

Regarding Claims 21 and 22, one of ordinary skill in the art realizes that a computer with a system control circuit (*Fig. 2 reference number 122*) is comprised of a CPU which is run by a computer program and memory storing the program. The limitations of Claims 21 and 22 are rejected by the same rationale as described in the paragraph regarding Claim 1.

10/729,512 Art Unit: 2622

Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 2, 12, 21, and 22 is rejected under 35 U.S.C. 103(a) as being unpatentable over Suga et al (US 6,313,875).

Regarding Claims 2 and 12, Suga teaches an image pickup apparatus according to claim 1 and method of controlling the same, wherein said control device provides control to cause said display device to display the image data received by said communication device from respective ones of the plurality of image pickup apparatuses and the image data recorded by said recording device, with frames of respective different colors added thereto.

Although Suga fails to specifically teach the color of the frame to distinguish the various image pickup apparatuses, Suga does teach using an alphanumeric label or icon in the frame (i.e. input A-X or B-X in Fig. 1 and 5) to distinguish which image pickup apparatus the image came from. Thus Suga has shown that it is well known and necessary to clearly display to the user which input device supplies which picture. Since the functionality of the inventive concept is shown in Suga, it would have been obvious to one of ordinary skill in the art at the time of the invention to use another distinguishing feature, such as a color border to allow users to greater express their

10/729.512

Art Unit: 2622

creativity or artistic personality. Moreover, the patentability of such non-functional descriptive material is considered obvious since it lacks criticality to the inventive concept. For example, the use of "A", "B", and "C" versus the use of "1", "2", "3", or the use of striped, solid, and polka dot borders versus the use of blue, green, and chartreuse colored borders to represent the various image pickup device inputs, will not modify the inventive concept.

Regarding Claims 21 and 22, it would have been obvious to one of ordinary skill in the art to modify the teachings of Suga to the form of a computer readable program and storage medium storing computer readable program. Suga teaches all the claim limitations of the control program.

Claims 4-6, 9-10,14-16, and 19-20 are rejected under 35 U.S.C. 103(a) as being 6. unpatentable over Suga et al. (US 6,313,875) in view of Enright et al. (US 6,583,813).

Regarding Claims 4-5, and 14-15, Suga teaches an image pickup apparatus according to claim 1 and method of controlling the same, wherein said control device provides control to cause said display device to display images from the various connected image pickup devices. Suga fails to teach the manipulation and selection of the inputted images.

Enright teaches a network of cameras where the collective inputs can be manipulated and selected on a main display (Fig. 61 and 62). From the display, the user can select image data out of the collective inputted image data. Fig. 61 box

10/729,512 Art Unit: 2622

number 3 shows a user interface where the user can select for example all images taken in response to an alarm trigger. This allows the user to select only the images he wants to display (*Col 54 Lines 66-67 through Col 55 Line 7 and Col 55 Lines 31-33*). The user is also capable of displaying only image data photographed by a same image pickup apparatus as seen in Fig. 61 box number 2. For example in box 2, the user can select Camera #1 and display images taken by Camera #1 only. See Col 55 Lines 33-36 for general case.

Since Suga is silent on details of manipulation and selection of the collective image data inputted by the various image pickup devices, one would look to prior art for such details, such as the teachings of Enright. It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the teaching of Suga by adding the features of selection and manipulation taught by Enright because it would allow practical functionality and optimize range of user customizations when dealing with storage and display of inputted images from a number of cameras

Regarding Claims 6, 9, 16, and 19, Suga teaches an image pickup apparatus according to claim 1 and method of controlling the same, comprising an image number allotting device that allots an identifying symbol corresponding to teach input image pickup device, and displays one image per pickup device in Fig. 5, but fails to show a unique number from the number allotting device or system control when more than one image is displayed.

Enright teaches each image with an image number for identifying image data to the photographed image data as seen in Fig. 68 an image number is displayed as part of a file name with a .jpg.extension.

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the number allotting device taught by Suga to not only allot a number on each image corresponding to the input device it came from, but to use the teaching of Enright to allow the number allotting device to also allot a unique number for each image and save it as the file name.

Regarding Claims 10 and 20, Suga teaches an image pickup apparatus according to claim 6 and method of controlling the same but fails to teach the limitations of Claim 10.

Enright teaches a system where multiple surveillance cameras input image data to a main apparatus. Fig. 68 shows an image that is received from a surveillance camera and recorded to the main apparatus where only one, or the same, image number has been allotted to the received and recorded image of Fig. 68. Fig. 71 shows a control panel to control the control hardware, or device, which provides control to compare the photographed times as seen below the images in Fig. 71.

It would have been obvious to one of ordinary skill in the art at the time of the invention to combine the teachings of Suga with the teaching of Enright by allowing the control to device to compare the photographed times of the recorded and received images, because it would help the user organize and manage images as well as be

10/729,512 Art Unit: 2622

able to correspond images with time reference for various data organization and analysis purposes.

7. Claims 7,8,10,17,18, and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Suga et al. (US 6,313,875) in view of Enright et al. (US 6,583,813), further in view of Hatanaka (US 6438320)

Regarding Claims 7,8, 17, and 18, Suga in view of Enright teaches an image pickup apparatus according to claim 6 and method of controlling the same, but fails to teach the limitations of Claim 7 wherein said control device is operable when image data is received after the image number has been allotted, to provide control to cause said image number allotting device to allot an image number different from the image number allotted to the received image data and then record the received image data. Since Suga is silent on handling and management of image numbers allotted to the input devices versus the image numbers to be allotted by the main apparatus of Claim 1, the problem arises that the same image number could be allotted to two different images from two different input devices being inputted into the main apparatus of Claim 1. One of ordinary skill in the art would look to prior art for details regarding the stated problem.

Hatanaka teaches a file management system for managing images by assigning an image name, which will prevent the same image or file name from being assigned twice. Hatanaka teaches that it is well known in the art that two files of the same

10/729,512

Art Unit: 2622

name, where files correspond to the image number, can exist when recording images from an electronic camera to another apparatus with a recording medium (Col 1 Lines 20-24). Hatanaka further teaches that when an image is transferred from an electronic camera to the destination apparatus which records it, a file with the same name could already exist and this apparatus with recording medium will cause the image number, or file name, to be changed. In this example this is accomplished via user prompt and input (Col 1 Lines 29-36). Hatanaka therefore teaches that it is well known in the art for an apparatus with recording medium which receives image data from electronic cameras to have the capability of causing the image to be recorded to have a different image number than the incoming image number of the image photographed from the input camera device.

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the teaching of Suga in view of Enright with the teaching of Hatanaka to allow the control device to provide control to cause the image number allotting device to allot an image number different than the photographed received image because this would catch and prevent two different images with the same file name from two different input devices from being stored in the main apparatus of Claim 1.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time 8. policy as set forth in 37 CFR 1.136(a).

10/729,512 Art Unit: 2622

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Amy Hsu whose telephone number is 571-270-3012. The examiner can normally be reached on M-F 8am-5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lin Ye can be reached on 571-272-7372. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Page 13

10/729,512

Art Unit: 2622

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Amy Hsu Examiner Art Unit 2622

ARH 1/5/08

LINYE

SUPERVISORY PATENT EXAMINER